



**FACILITY NAME & ADDRESS**

Facility Name	Facility Type	Facility Address
National Hospital Organization Nagoya Medical Center		4-1-1 Sannomaru, Nagoya, Aichi, Japan, 460-0001

**FACILITY CONTACTS**

Primary FPM?	Name	Email Address	Roles
Yes	Yonejima, Tadashi	yonejima.tadashi.ab@mail.hosp.go.jp	Facility Profile Manager; Budget/ Financial Contact; Clinical Research Manager; Contract Manager; Facility Clinical Trial Contact; Head of Facility; Regulatory Contact

**THERAPEUTIC AREAS & PATIENT POPULATION**

Therapeutic Area(s)	
Therapeutic Area	Sub-Therapeutic Area
Allergy	
Bacterial Infections and Mycoses	
Bone	
Cardiovascular Diseases	
Digestive System Diseases	
Endocrine System Diseases	
Eye Diseases	
Hemic and Lymphatic Diseases	
Immune System Diseases	
Male Urogenital Diseases	
Mental disorders	
Musculoskeletal Diseases	
Neoplasms	
Nervous System Diseases	
Nutritional and Metabolic Diseases	
Oncology	
Otorhinolaryngologic Diseases	
Respiratory Tract Diseases	
Skin and Connective Tissue Diseases	
Other Areas of Expertise	
Study Phase Capabilities	
Phase I; Phase II; Phase III; Phase IV	
Other Facility Details	
Do you have Affiliated Research Sites or Satellite Sites/Clinics? A Satellite Site is a secondary location where the investigator sees clinical trial subjects, usually this is the same investigator who sees subjects at the primary site location.	No
What study types does your Facility have experience with?	Industry; Investigator Initiated
Is your Facility affiliated with a government agency or part of a government funded health service?	Yes
Patient Population	
Patient Population Demographics	Pediatrics - Less than or equal to 17; Adults - Ages 18-64; Geriatrics - Greater than or equal to 65
Patient Population Comments	

**IRB/ERB/ETHICS COMMITTEE**

General Questions	
What is the average time (in days) to start a study once you have received the regulatory package?	Less than 30
Does your facility perform IRB/ERB/Ethics Committee submissions?	Yes



Does your facility have a dedicated department or group to perform IRB/ERB/Ethics Committee submissions?	Yes
Department Contact Name	Division of Administration
Department Contact Phone Number	+81529511111
Department Contact Email Address	311-chiken@mail.hosp.go.jp
Is your facility able to initiate study activities prior to IRB/ERB/Ethics Committee protocol approval?	No
What types of IRB/ERB/Ethics Committee does your Facility use?	Central Acting as Local; Local
Does your institution and/or local regulation mandate the distribution of safety reports [e.g., Development SafetyUpdate Report (DSUR), suspected unexpected serious adverse reaction (SUSAR)] to a local Review only IRB/ERB/Ethics Committee?	No
Are there any other steps that the Sponsor should be aware of for your IRB/ERB/Ethics Committee review and submission?	No
Other Steps Explain	

**OTHER REVIEW BOARDS**

Does your facility have Other Review Boards that need to approve the study prior to IRB/ERB/Ethics Committee submission? For example, scientific, radiation safety committees, or others.	
---	--

**Local Lab**

Is your Facility using a Local Lab?	Yes
<b>Local Lab: National Hospital Organization Nagoya Medical Center</b>	
Lab Name	National Hospital Organization Nagoya Medical Center
Lab Contact First Name	Division
Lab Contact Last Name	Administration
Address	4-1-1, Sannomaru, Nagoya-shi, Aichi, Japan, 4600001
Phone Number	+81529511111
Fax Number	
Email Address	311-chiken@mail.hosp.go.jp
Local Lab Accreditation	ISO

**CONSENT & TRAINING**

<b>Consent</b>	
Does your Facility have a written SOP/Policy/Procedure for: Informed Consent?	No
Does your Facility have a written SOP/Policy/Procedure for: Minor Assent for Pediatric Populations?	No
Does your Facility have a written SOP/Policy/Procedure for: Other Vulnerable Populations?	No
Will your Facility require language translations for consents?	Yes
Select the required languages	Japanese
If located in the US, has your Facility used or are you able to use the informed consent short form?	
<b>Training</b>	
Does your Facility have a training program for the research staff?	Yes
Does the course content include GCP?	Yes
Does your Facility use an external program to conduct research training?	Yes
Please provide program course name.	eaAPRIN
Do you have a process or program in place to retrain research staff when a protocol is amended?	No
Does the study staff that prepares or transports dangerous goods have training that meets the IATA International Air Transport Association (US) or other countries hazardous training requirements for shipping dangerous goods?	No

**FACILITY & EQUIPMENT**

<b>Facility Capabilities</b>	
Can your Facility support patient visits on weekends?	Yes
Can your Facility support in-patient admissions for research studies?	Yes



Does your study staff have sufficient English knowledge to understand communications in English?	Yes
Does your Facility have access to translators and translation support for trial conduct (e.g. consent, trial specific instruction)?	NA
Does the Facility have storage space for Study-Related materials (e.g. Lab Kits, Patient Materials, etc.)?	Yes
Does your Facility have the ability to collect and store PK/PD specimens?	Yes
Does your Facility have the ability to collect PK/PD samples beyond normal business hours?	Yes
Does your Facility typically allow the collection of Pharmacogenomic (PGX) samples for research purposes?	Yes
<b>Equipment</b>	
Identify the Diagnostic Equipment available at or near the Facility to support Research studies?	Computerized Tomography Scan; Dual-Energy X-ray Absorptiometry or Bone Densitometry; Magnetic Resonance Imaging; Fluoroscopy; Positron Emission Tomography Scan; X-Radiation; Magnetic Resonance Angiography; Mammography; Nuclear Medicine (e.g. Bone scan, Thyroid scan, Thallium cardiac stress test); Electrocardiogram
<b>General Equipment</b>	
Does your Facility have an SOP or process that ensures routine calibration and maintenance of general equipment? Examples of general equipment include: scale, pulse oximeter, stadiometer, sphygmomanometer, etc.?	No
Does your Facility have the necessary equipment to treat medical emergencies (ie. code cart)?	Yes
<b>Equipment Available At The Facility To Support Research Studies</b>	
Identify the equipment available at the Facility to support Research studies?	Refrigerated Centrifuge; Centrifuge; Refrigerator (2 to 8 Degrees C); Freezer (-20 to -30 Degrees C); Freezer (-70 to -80 Degrees C)
<b>Equipment Capabilities: Refrigerator (2 to 8 Degrees C)</b>	
Do you have the ability to generate a temperature monitoring log for this equipment?	No
Does this equipment provide Min/Max Temperature Monitoring?	Yes
How frequently can temperature measurement occur? Check the most frequent measurement your equipment can support.	Daily
Does this equipment have back-up power?	Yes
Does this equipment have a temperature alarm?	Yes
Do you have an SOP which supports calibration of this equipment?	No
<b>Equipment Capabilities: Freezer (-20 to -30 Degrees C)</b>	
Do you have the ability to generate a temperature monitoring log for this equipment?	No
Does this equipment provide Min/Max Temperature Monitoring?	Yes
How frequently can temperature measurement occur? Check the most frequent measurement your equipment can support.	Daily
Does this equipment have back-up power?	Yes
Does this equipment have a temperature alarm?	Yes
Do you have an SOP which supports calibration of this equipment?	No
<b>Equipment Capabilities: Refrigerator (-70 to -80 Degrees C)</b>	
Do you have the ability to generate a temperature monitoring log for this equipment?	No
Does this equipment provide Min/Max Temperature Monitoring?	Yes
How frequently can temperature measurement occur? Check the most frequent measurement your equipment can support.	Daily
Does this equipment have back-up power?	Yes
Does this equipment have a temperature alarm?	Yes
Do you have an SOP which supports calibration of this equipment?	No
<b>Computer Capabilities</b>	
Does your Facility have computers which are dedicated to research studies?	Yes



What type of computer operating system(s) does your institution use to support studies?	Windows (Windows XP, Windows 7, Windows 8, etc.)
What type of internet access does your Facility have?	Cable or DSL; Wi-Fi
Does your Facility limit or prohibit access and use of external web-based tools or sites for clinical research? (e.g. web portals to submit documents to sponsors or CROs)	No
Does the Facility have access to local IT support?	Yes

**INVESTIGATIONAL PRODUCT & CONTROLLED SUBSTANCES**

Investigational Product Shipping Details	
IP Recipient Name	National Hospital Organization Nagoya Medical Center
Address	4-1-1, Sannomaru, Naka-ku, Pharmaceutical department, Nagoya-shi, Aichi, Japan, 4600001
Email Address:	311-chiken@mail.hosp.go.jp
Phone Number:	+81529511111
Fax Number:	
Investigational Product Storage Location	
IP Storage Location Name	Pharmaceutical department
Address	4-1-1, Sannomaru, Naka-ku, 1, Nagoya-shi, Aichi, Japan, 4600001
Email Address:	311-chiken@mail.hosp.go.jp
Phone Number:	+81529511111
Fax Number:	
Investigational Product Storage Equipment	
Identify the Investigational Product Storage Equipment at your Facility	Refrigerator (2 to 8 Degrees C); Freezer (-20 to -30 Degrees C); Freezer (-70 to -80 Degrees C)
Equipment Capabilities: Refrigerator (2 to 8 Degrees C)	
Do you have the ability to generate a temperature monitoring log for this equipment?	Yes
Does this equipment provide Min/Max Temperature Monitoring?	Yes
How frequently can temperature measurement occur? Check the most frequent measurement your equipment can support.	Daily
Does this equipment have back-up power?	Yes
Does this equipment have a temperature alarm?	Yes
Do you have an SOP which supports calibration of this equipment?	Yes
Equipment Capabilities: Freezer (-20 to -30 Degrees C)	
Do you have the ability to generate a temperature monitoring log for this equipment?	Yes
Does this equipment have Min/Max Temperature Monitoring?	Yes
How frequently can temperature measurement occur? Check the most frequent measurement your equipment can support.	Daily
Does this equipment have back-up power?	Yes
Does this equipment have a temperature alarm?	Yes
Do you have an SOP which supports calibration of this equipment?	Yes
Equipment Capabilities: Refrigerator (-70 to -80 Degrees C)	
Do you have the ability to generate a temperature monitoring log for this equipment?	Yes
Does this equipment provide Min/Max Temperature Monitoring?	Yes
How frequently can temperature measurement occur? Check the most frequent measurement your equipment can support.	Daily
Does this equipment have back-up power?	Yes
Does this equipment have a temperature alarm?	Yes
Do you have an SOP which supports calibration of this equipment?	Yes
Investigational Product Storage And Handling	
Is the Investigational Product Storage Room secured with controlled access?	Yes
Do you have the ability to generate a temperature monitoring log for this Investigational Product Storage Room?	Yes
Does the Investigational Product Storage Room provide Min/Max temperature monitoring?	Yes



Does the Investigational Product Storage Room have back-up power?	Yes	
Does the Investigational Product Storage Room have a temperature alarm?	Yes	
Do you have an SOP which supports calibration of the temperature monitoring equipment?	Yes	
Does your Facility have the ability to manage on-site or off-site destruction of Investigational Product?	Yes	
Does your Facility have a written SOP/Policy/Procedure for destruction of Investigational Product?	Yes	
Do you provide your Satellite Site(s) with a dedicated inventory of Investigational Product?	No	
Does your Facility have a written SOP/Policy/Procedure to ensure that Investigational Product is appropriately maintained during transportation to Satellite Site(s)?	Not Applicable	
Describe additional Investigational Product Storage & Handling Capabilities		
<b>Preparation and Administration Of Investigational Product</b>		
Identify the Investigational Product preparation capabilities at your Facility	Vertical laminar flow hood (chemo/hazardous drugs)	
Is your Facility capable of administering infusions?	Yes	
Is your Facility adequately staffed to support studies with both blinded and un-blinded Investigational Product?	Yes	
<b>Controlled Substances</b>		
Does the Facility have the required licenses or registrations to receive, store, dispense and return controlled substances as required by local law?		
Is the storage area for controlled substances securely constructed with restricted access in accordance with local law?		
Does the Facility have the ability to handle radio-labelled Investigational Product?		
Does your Facility have the ability to manage on-site or off-site destruction of controlled substances when appropriate?		
<b>Attachments</b>		
Document Type	Document Name	Description
No Records		

**SOURCE DOCUMENTATION**

<b>Source Documents</b>	
What type of source documents will be used?	Paper; Electronic
Does your Facility have secure storage for patient records?	Yes
Does your Facility have patient record archiving on-site?	Yes
Provide Location name and address of any offsite archives	
<b>Electronic Medical Records (EMR)/Electronic Health Records (EHR)</b>	
Do you have Electronic Health Records (EHR)/ Electronic Medical Records (EMR)?	Yes
What EMR/EHR system do you use?	Other
For Facilities with satellite sites, where is the monitor required to access source documents?	Main Facility Only
Please list any access limitations/requirements for the Electronic Medical Records.	ID and password
<b>Monitoring</b>	
Check all equipment that will be available to Monitors:	Copy Machines; Internet Access
What Electronic Data Capture (EDC) systems has your staff used for clinical trials?	Oracle Inform; Medidata Rave

**ADDITIONAL LOCATIONS**

<b>Additional Locations</b>					
Add any addresses you wish to be available in the Study Site Profile. These addresses will be available for selection in the following sections of the Study Site Profile - Additional Study Locations - These addresses can be added to your FDA Form 1572, if applicable.					
Location Name	Contact Name	Address	Phone Number	Fax Number	E-mail Address
No Records					

**ADDITIONAL INFORMATION & ATTACHMENTS**

<b>Additional Information</b>
Please provide additional information not captured in other sections of the Facility Profile that you feel is important for Sponsors to know about your Facility. Please reference the section name if applicable.



Facility Attachments		
Document Type	Document Name	Document Description
No Records		

**ORGANIZATION AFFILIATIONS**

Organization Affiliations			
The Organization (s) that requested Affiliation with your Facility/Department are listed below with Affiliation Status			
Organization Name and Address	Organization Affiliation Type	Organization Affiliation Status	Status Date
No Records			