FACILITY NAME & ADDRESS

Facility Name	Facility Type	Facility Address
National Hospital Organization Toyohashi Medical Center	Hospital or Medical Center	50 Aza Hamamichigami, Imure-cho, Toyohashi, Aichi,
		Japan, 440-8510

FACILITY CONTACTS

Primary FPM?	Name	Email Address	Roles
Yes	Noriko, Takase	takase.noriko.gk@mail.hosp.go.jp	Facility Profile Manager

THERAPEUTIC AREAS & PATIENT POPULATION

Therapeutic Area(s)		
Therapeutic Area	Sub Therapeutic Area	
Bone		
Cardiovascular Diseases		
Immune System Diseases		
Digestive System Diseases		
Endocrine System Diseases		
Women's Health		
Musculoskeletal Diseases		
Mental disorders		
Pediatrics		
Eye Diseases		
Respiratory Tract Diseases		
Pain		
Otorhinolaryngologic Diseases		
Orthopedics		
Oncology		
Internal Medicine		
Other Areas of Expertise		

the Department of Surgery, cranial nerve SurgeryMale Urogenital Diseases, Neoplasms, Nervous System Diseases, Skin and Connective Tissue Diseases, Wounds and Injuries

Study Phase Capabilities

Phase II; Phase IV

Other Facility Details		
Do you have Affiliated Research Sites or Satellite Sites/Clinics? A Satellite Site is a secondary location where the investigator sees clinical trial subjects, usually this is the same investigator who sees subjects at the primary site location.	No	
What study types does your Facility have experience with?	Industry; Investigator Initiated	
Is your Facility affiliated with a government agency or part of a government funded health service?	Yes	
Patient Population		
Patient Population Demographics	Adults - Ages 18-64; Geriatrics - Greater than or equal to 65	
Patient Population Comments		

IRB/ERB/ETHICS COMMITTEE

General Questions	
What is the average time (in days) to start a study once you have received the regulatory package?	30-60
Does your Facility perform IRB/ERB/Ethics Committee submissions?	Yes
Does your Facility have a Facility or group to perform IRB/ERB/Ethics Committee submissions?	Yes
Department Contact Name	Clinical
Department Contact Phone Number	(0532)62-0301
Department Contact Email Address	takase.noriko.gk@mail.hosp.go.jp
Is your Facility able to initiate study activities prior to IRB/ERB/Ethics Committee protocol approval?	Yes
What types of IRB/ERB/Ethics Committee does your Facility use?	Central Acting as Local; Local
Does your institution and/or local regulation mandate the distribution of safety reports [e.g., Development SafetyUpdate Report (DSUR), suspected unexpected serious adverse reaction (SUSAR)] to a local Review only IRB/ERB/Ethics Committee?	Yes
Are there any other steps that the Sponsor should be aware of for your IRB/ERB/Ethics Committee review and submission?	No
Other Steps Explain	

OTHER REVIEW BOARDS

Does your Facility have Other Review Boards that need to approve the study prior to IRB/ ERB/Ethics Committee submission? For	No
example, scientific, radiation safety committees, or others.	

Local Lab

Is your Facility using a Local Lab?	Yes

Lab Name	National Hospital Organization Toyohashi Medical
	Center
Lab Contact First Name	
Lab Contact Last Name	
Address	50 Hamamichigami Imure-cho, Toyohashi, Aichi,
	Japan, 440-8510
Phone Number	81-532-0301
Fax Number	81-532-7507
Email Address	
Local Lab Accreditation	ISO

Additional Questions		
Does your Facility have a SOP/written procedure for docum	y?	
Do your written procedures ensures that study-specific tem staff to ensure compliance?	onsible	
What is the system or tool that the site currently has or utilizes to document Bio-specimen (Sample) Processing Steps/ Chain of Custody?		
Please indicate tissue collection and processing capabilities at your site?		
Does your Facility has established processes to oversee staff compliance with study-specific lab manual instructions for biospecimen processing?		
What are your Facility's capabilities for tissue collection and/or processing (embedding)?		
Are LOINC codes available for the Local Lab? (If Yes, you of Documentation)	can upload the relevant LOINC list as an attachment in Lab	
Attachments		
Document Type	Document Name	Document Description
No Records		

CONSENT & TRAINING

Consent		
Does your Facility have a written SOP/Policy/Procedure for: Informed Consent?	No	
Does your Facility have a written SOP/Policy/Procedure for: Minor Assent for Pediatric Populations?	No	
Does your Facility have a written SOP/Policy/Procedure for: Other Vulnerable Populations?	No	
Will your Facility require language translations for consents?	No	
Select the required languages		
If located in the US, has your Facility used or are you able to use the informed consent short form?	Not Applicable	
Training		
Does your Facility have a training program for the research staff?	No	
Does the course content include GCP?	Yes	
Does your Facility use an external program to conduct research training?	No	
Please provide program course name.		
Do you have a process or program in place to retrain research staff when a protocol is amended?	No	
Does the study staff that prepares or transports dangerous goods have training that meets the IATA International Air Transport Association (US) or other countries hazardous training requirements for shipping dangerous goods?	No	

FACILITY & EQUIPMENT

Facility Capabilities	
Can your Facility support patient visits on weekends?	Yes
Can your Facility support in-patient admissions for research studies?	Yes
Does your study staff have sufficient English knowledge to understand communications in English?	No
Does your Facility have access to translators and translation support for trial conduct (e.g. consent, trial specific instruction)?	No
Does the Facility have storage space for Study-Related materials (e.g. Lab Kits, Patient Materials, etc.)?	Yes
Is the lab kit storage space able to support early phase studies which may require an increased number of kits?	Yes
Does your Facility have the ability to collect and store PK/PD specimens?	Yes
Does your Facility have the ability to collect PK/PD samples beyond normal business hours?	Yes
Does your Facility typically allow the collection of Pharmacogenomic (PGX) samples for research purposes?	Yes
Equipment	
Identify the Diagnostic Equipment available at or near the Facility to support Research studies?	Computerized Tomography Scan; Dual-Energy X-ray Absorptiometry or Bone Densitometry; Magnetic Resonance Imaging; Fluoroscopy; X-Radiation; Magnetic Resonance Angiography; Mammography; Nuclear Medicine (e.g.Bone scan,Thyroid scan,Thallium cardiac stress test); Electrocardiogram
General Equipment	
Does your Facility have an SOP or process that ensures routine calibration and maintenancof general equipment? Examples of general equipment include: scale, pulse oximeter, stadiometer, sphymomanomer, etc.?	No
Does your Facility have the necessary equipment to treat medical emergencies (ie. code cart)?	Yes
Equipment Capabilities: Refrigerator (2 to 8 Degrees C)	
Do you have the ability to generate a temperature monitoring log for this equipment?	Yes
Does this equipment provide Min/Max Temperature Monitoring?	Yes
How frequently can temperature measurement occur? Check the most frequent measurement your equipment can support.	Daily
How frequently can temperature measurement occur? Check the most frequent measurement your equipment can support. Does this equipment have back-up power?	Daily Yes
	,
Does this equipment have back-up power?	Yes
Does this equipment have back-up power? Does this equipment have a temperature alarm?	Yes Yes
Does this equipment have back-up power? Does this equipment have a temperature alarm? Do you have an SOP which supports calibration of this equipment?	Yes Yes
Does this equipment have back-up power? Does this equipment have a temperature alarm? Do you have an SOP which supports calibration of this equipment? Equipment Capabilities: Refrigerator (-70 to -80 Degrees C)	Yes Yes No
Does this equipment have back-up power? Does this equipment have a temperature alarm? Do you have an SOP which supports calibration of this equipment? Equipment Capabilities: Refrigerator (-70 to -80 Degrees C) Do you have the ability to generate a temperature monitoring log for this equipment?	Yes Yes No Yes
Does this equipment have a temperature alarm? Do you have an SOP which supports calibration of this equipment? Equipment Capabilities: Refrigerator (-70 to -80 Degrees C) Do you have the ability to generate a temperature monitoring log for this equipment? Does this equipment provide Min/Max Temperature Monitoring?	Yes Yes No Yes Yes Yes
Does this equipment have a temperature alarm? Do you have an SOP which supports calibration of this equipment? Equipment Capabilities: Refrigerator (-70 to -80 Degrees C) Do you have the ability to generate a temperature monitoring log for this equipment? Does this equipment provide Min/Max Temperature Monitoring? How frequently can temperature measurement occur? Check the most frequent measurement your equipment can support.	Yes Yes No Yes Yes Daily

Computer Capabilities		
Does your Facility have computers which are dedicated to research studies?		Yes
What type of computer operating system(s) does your institution use to support studies?		Windows (Windows XP, Windows 7, Windows 8, etc.)
What type of internet access does your Facility have?		Cable or DSL
Does your Facility limit or prohibit access and use of external web-based tools or sites for clinical research? (e.g. web portals to submit documents to sponsors or CROs)		to No
Does the Facility have access to local IT support?		Yes
Does your Facility prohibit the use of an external USB device (e.g. to download and send data from a temperature monitoring device)?		I don't Know
Business Continuity Plan		
Does your Facility have Business Continuity Plan (BCP) to protect essential business operations which describes how those processes will be performed during a crisis at your Facility?		Yes
Attach Your BCP or SOP		
Document Type	Document Name	Document Description
No Records		

INVESTIGATIONAL PRODUCT & CONTROLLED SUBSTANCES

Investigational Product Shipping Details						
IP Recipient Name Address Email Address Phone Number Fax Number						
National Hospital Organization Toyohashi Medical Center	50 Hamamichigami Imure-cho, Toyohashi, Aichi, Japan, 440-8510		+81-532-62-0301	+81-532-62-7507		

Investigational Product Storage Location						
IP Recipient NameAddressEmail AddressPhone NumberFax Number						
National Hospital Organization Toyohashi Medical Center	50 Hamamichigami Imure-cho, Toyohashi, Aichi, Japan, 440-8510		+81-532-62-0301	+81-532-62-7507		

Investigational Product Storage Equipment	
Identify the Investigational Product Storage Equipment at your Facility	Refrigerator (2 to 8 Degrees C)
Equipment Capabilities: Refrigerator (2 to 8 Degrees C)	
Do you have the ability to generate a temperature monitoring log for this equipment?	Yes
Does this equipment provide Min/Max Temperature Monitoring?	Yes
How frequently can temperature measurement occur? Check the most frequent measurement your equipment can support.	Daily
Does this equipment have back-up power?	Yes
Does this equipment have a temperature alarm?	Yes
Do you have an SOP which supports calibration of this equipment?	No

Investigational Product Storage And Handling	
Is the Investigational Product Storage Room secured with controlled access?	Yes
Do you have the ability to generate a temperature monitoring log for this Investigational Product Storage Room?	Yes
Does the Investigational Product Storage Room provide Min/Max temperature monitoring?	Yes
Does the Investigational Product Storage Room have back-up power?	Yes
Does the Investigational Product Storage Room have a temperature alarm?	Yes
Do you have an SOP which supports calibration of this equipment?	No
Does your Facility have the ability to manage on-site or off-site destruction of Investigational Product?	Yes
Does your Facility have a written SOP/Policy/Procedure for destruction of Investigational Product?	No
Do you provide your Satellite Site(s) with a dedicated inventory of Investigational Product?	Not Applicable
Does your Facility have a written SOP/Policy/Procedure to ensure that Investigational Product is appropriately maintained during transportation to Satellite Site(s)?	Not Applicable
Describe additional Investigational Product Storage And Handling Capabilities	
Preparation and Administration Of Investigational Product	
Identify the Investigational Product preparation capabilities at your Facility	Extemporaneous Preparation
Is your Facility capable of administering infusions?	Yes
Is your Facility adequately staffed to support studies with both blinded and un-blinded Investigational Product?	Yes
Controlled Substances	
Does the Facility have the required licenses or registrations to receive, store, dispense and return controlled substances as required by local law?	Yes
Is the storage area for controlled substances securely constructed with restricted access in accordance with local law?	Yes
Does the Facility have the ability to handle radio-labelled Investigational Product?	No
Does your Facility have the ability to manage on-site or off-site destruction of controlled substances when appropriate?	Yes

Attachments						
Document Type	Document Name	Document Description				
No Records						

SOURCE DOCUMENTATION & REMOTE MONITORING

Source Documents					
What type of source documents will be used?	Paper; Electronic				
Does your Facility have secure storage for patient records?	Yes				
Does your Facility have patient record archiving on-site?	Yes				
Provide Location name and address of any offsite archives					
What type of investigator site file/regulatory binder used (select all that apply)					
What investigator site file (eISF) / eRegulatory system do you use?					
Are monitors able to access eISF/eReg while off-site?					
Please list any access limitations/ requirements for eISF/eReg					

Electronic Medical Records (EMR) / Ele	ectronic Health Reco	rds (FHR)					
, , ,	Do you have Electronic Health Records (EHR)/ Electronic Medical Records (EMR)? Yes						
What EMR/EHR system do you use?							
For Facilities with satellite sites, where is the monitor required to access source documents? Main Facility Only							
Please list any access limitations/require	ements for the Electro	onic Medical Records.					
Do you work with a vendor that can elec	tronically exchange of	data for clinical research from th	e EHR/EMR?				
Are monitors able to access EHR/EMR	while off site?						
Does your Facility require Sponsor repre	esentative to sign any	/ local form (paper or electronic)	for access, or any other purpos	e?			
Monitoring				,			
Check all equipment that will be available	e to Monitors:						
What Electronic Data Capture (EDC) sy	stems has your staff	used for clinical trials?					
Describe Other EDC Systems							
Does your site/institution and/or local remonitoring?	gulations allow remot	te source data verification of stu	dy participant data to support rer	note			
Which of the following capabilities are a	vailable to support re	mote source data verification? (Check all that apply)				
Attachments							
Document Type		Document Name		Document D	escription		
No Records							
ADDITIONAL LOCATIONS							
Additional Locations							
Add any addresses you wish to be avail Locations - These addresses can be addresses.			e available for selection in the fo	llowing sections	of the Study Si	te Profile -Additional Study	
Location Name Contact	t Name	Address	Phone Number	Fax Number		E-mail Address	
No Records							
ADDITIONAL INFORMATION & A	ADDITIONAL INFORMATION & ATTACHMENTS						
Additional Information							
Please provide additional information no if applicable.	t captured in other se	ections of the Facility Profile tha	t you feel is important for Sponso	ors to know abo	ut your site. Plea	ase reference the section name	
Facility Attachments				T			
Document Type Document Name Document Description							
No Records							
ORGANIZATION AFFILIATIONS							
Organization Affiliations							
The Organization (s) that requested Affil	iation with your Facil	ity are listed below with Affiliation	on Status				
Organization Name and Address	Organizatio	n Affiliation Type	Organization Affiliation Sta	atus	Status Date		
No Records	•						

ASSOCIATED SITE USERS

Associated Site Users

Once checked, this checkbox will enable the Approval/Rejection workflow for this Facility. Any site user requesting to associate with this Facility would require to send the affiliation requests and only once Approved, this Facility will be shown on User's Profile.

Site User Association Requests					
Name	E-mail Address	Request Affiliation Date	Affiliation Status change Date	Affiliation Status	
No Records				Į.	

Associated/Confirmed Site Users					
Name	E-mail Address	Request Affiliation Date	Affiliation Status change Date	Affiliation Status	
Noriko,Takase	takase.noriko.gk@mail.hosp.go.jp	04-Feb-2020	10-Sep-2020	Confirmed	
Inaoka,Kenichi	inaoka-kenichi@hotmail.co.jp	13-Apr-2021		Confirmed	
suyama,kayo	suyama.kayo.wb@mail.hosp.go.jp	05-Aug-2021		Confirmed	
Hidaka,Miyako	kato.miyako.ak@mail.hosp.go.jp	04-Aug-2021		Confirmed	