

# SIP Facility Profile Form

**Note:** Invalid phone numbers and email address if entered in text fields in the form shall not be populated in SIP.

Facility Name

National Hospital Organization Kagoshima Medical Center

## THERAPEUTIC AREAS AND PATIENT POPULATION

**THERAPEUTIC AREA(S)** Provide the list of Therapeutic Areas for your Facility:

Cardiovascular Diseases	▼
Digestive System Diseases	▼
Endocrine System Diseases	▼
Internal Medicine	▼
Hemic and Lymphatic Diseases	▼
Nephrology	▼
Otorhinolaryngologic Diseases	▼
Skin and Connective Tissue Diseases	▼
Pediatrics	▼
Stomatognathic Diseases	▼

Sub-Therapeutic Areas:

**Note:** Sub-Therapeutic Areas can be selected online from the Facility Profile in SIP.

Other Areas of Expertise:

Neurology, Gynecology, Urology, Nutritional and Metabolic Diseases, Surgery, Rehabilitation, Radiology, Anesthesiology, Pathology, Emergency Medicine, Eye Diseases

## STUDY PHASE CAPABILITIES

☐ Phase I ☒ Phase II ☒ Phase III ☒ Phase IV

## OTHER FACILITY DETAILS

Do you have Affiliated Research Sites or Satellite Sites/Clinics? A Satellite Site is a secondary location where the investigator sees clinical trial subjects. Usually this is the same investigator who sees subjects at the primary site location.

☐ Yes

☒ No

What study types does your Facility have experience with?

☐ Academic ☒ Industry ☐ Investigator Initiated ☐ Government ☐ Other

Other

Is your Facility affiliated with a government agency or part of a government funded health service?

☒ Yes

☐ No

☐ Not Applicable

## PATIENT POPULATION

Patient Population Demographics

☒ Pediatrics - Less than or equal to 17 ☒ Adults - Ages 18-64 ☒ Geriatrics - Greater than or equal to 65

Patient Population Comments:

Japanese 100%

# SIP Facility Profile Form

## IRB/ERB/ETHICS COMMITTEE

What is the average time (in days) to start a study once you have received the regulatory package?

- ☐ Less than 30    ☒ 30-60    ☐ 61-90  
☐ 91-120    ☐ Greater than 120

Does your Facility perform IRB/ERB/Ethics Committee submissions?

- ☒ Yes    ☐ No

Does your Facility have a dedicated department or group to perform IRB/ERB/Ethics Committee submissions?

- ☒ Yes    ☐ No

Department Contact Name

Clinical trial management office

Department Contact Phone Number

+81-99-223-1151

Department Contact Email Address

623-chikenkyouyuu@mail.hosp.go.jp

Is your Facility able to initiate study activities prior to IRB/ERB/Ethics Committee protocol approval?

- ☒ Yes    ☐ No

What types of IRB/ERB/Ethics Committee does your Facility use? (Select all that apply.)

- ☒ Local    ☒ Central Acting as Local  
☐ Sponsor Provided Central

Does your institution and/or local regulation mandate the distribution of safety reports [e.g., development Safety Update report (DSUR), suspected unexpected serious adverse reaction (SUSAR) to a local Review Only IRB/ERB/Ethics Committee?

- ☒ Yes    ☐ No

Are there any other steps that the Sponsor should be aware of for your IRB/ERB/Ethics Committee review and submission?

- ☐ Yes    ☒ No

If Yes, provide details about the role various committees play in your site's review and submission process. If you have multiple local IRBs, explain what drives the decision on which IRB to use.

# SIP Facility Profile Form

## Local IRB/ERB/Ethics Committee

### IRB/ERB/Ethics Committee Name

Street Name and Number

Building/Floor/Room/Suite

Additional Address Info

Country

State/Province/Region

City

Zip/Postal Code

Registration No.

Registering Body

NA	

What is the meeting frequency of your Local IRB/ERB/Ethics Committee?

☐ Weekly ☐ Twice a Month ☒ Monthly

☐ Quarterly ☐ Other

How long before IRB/ERB/Ethics Committee review is the Submission Packet required?

☐ 1 week ☒ 2 weeks

☐ Greater than 2 weeks

Does the IRB/ERB/Ethics Committee require payment prior to release of final approval documents?

☐ Yes ☒ No

Does the IRB/ERB/Ethics Committee require contract/budget approval prior to release of final approval documents?

☒ Yes ☐ No

**Note:** Attachments can be uploaded online from the Facility Profile in SIP.

**Note:** Additional Local IRB/ERB/Ethics Committees can be added online from the Facility Profile in SIP.

## CENTRAL ACTING AS LOCAL IRB/ERB/ETHICS COMMITTEE

**Note:** Central Acting as Local IRB/ERB/Ethics Committee can be selected online from the Facility Profile in SIP.

# SIP Facility Profile Form

## REVIEW ONLY IRB/ERB/ETHICS COMMITTEE

IRB/ERB/Ethics Committee Name	
Street Name and Number	
Building/Floor/Room/Suite	
Additional Address Info	
Country	- Select Country -
State/Province/Region	- Select State -
City	
Zip/Postal Code	
Registration No.	Registering Body

**Note:** Additional Review Only IRB/ERB/Ethics Committees can be added online from the Facility Profile in SIP.

## OTHER REVIEW BOARDS

Does your Facility have other review boards that need to approve the study prior to IRB/ERB/Ethics Committee submission?  
For example, scientific, radiation safety committees, or others.

☐ Yes ☒ No

Review Board Name	Meeting Frequency
	<input type="radio"/> Weekly <input type="radio"/> Twice a Month <input type="radio"/> Monthly
	<input type="radio"/> Quarterly <input type="radio"/> Other <input type="text"/>
	<input type="radio"/> Weekly <input type="radio"/> Twice a Month <input type="radio"/> Monthly
	<input type="radio"/> Quarterly <input type="radio"/> Other <input type="text"/>

# SIP Facility Profile Form

## LOCAL LAB

Is your Facility using a local lab?

☒

Yes

☐

No

### Lab Name

National Hospital Organization Kagoshima Medical Center Clinical Laboratory

Lab Contact First Name

Lab Contact Last Name

Street Name and Number

8-1

Building/Floor/Room/Suite

National Hospital Organization Kagoshima Medical Center

Additional Address Info

Shiroyama-cho

Country

Japan

State/Province/Region

Kagoshima

City

Kagoshima city

Zip/Postal Code

892-0853

Phone Number

+81-99-223-1151

Fax Number

+81-99-223-1440

Email Address

Local Lab Accreditation (Select all that apply)

☐

None

☐

GLP

☐

CLIA

☐

CAP

☐

ISO

☐

Others

JMA · JAMT

**Note:** Attachments can be uploaded online from the Facility Profile in SIP.

**Note:** Additional Local Labs can be added online from the Facility Profile in SIP.

## CONSENT AND TRAINING

### CONSENT

Does your Facility have a written SOP/Policy/Procedure for: Informed Consent? ☒ Yes ☐ No

Does your Facility have a written SOP/Policy/Procedure for: Other vulnerable populations? ☒ Yes ☐ No

Does your Facility have a written SOP/Policy/Procedure for: Minor Assent for pediatric populations? ☒ Yes ☐ No

Will your Facility require language translations for consents? ☒ Yes ☐ No

*Note: Languages can be selected online from the Facility Profile in SIP.*

If located in the US, has your Facility used or are you able to use the informed consent short form? ☐ Yes ☐ No  
☐ Don't Know  
☒ Not Applicable

### TRAINING

Does your Facility have a training program for the research staff? ☒ Yes ☐ No

Does the course content include GCP? ☒ Yes ☐ No

Does your Facility use an external program to conduct research training? ☒ Yes ☐ No

Please provide program course name:

Do you have a process or program in place to retrain research staff when a protocol is amended? ☐ Yes ☐ No

Does the study staff that prepares or transports dangerous goods have training that meets the IATA International Air Transport Association (US) or other countries hazardous training requirements for shipping dangerous goods? ☐ Yes ☒ No

## FACILITY AND EQUIPMENT

### FACILITY CAPABILITIES

- Can your Facility support patient visits on weekends? ☒ Yes ☐ No
- Can your Facility support in-patient admissions for research studies? ☒ Yes ☐ No
- Does your study staff have sufficient English knowledge to understand communications in English? ☐ Yes ☒ No
- Does your Facility have access to translators and translation support for study conduct (e.g. consent, study specific instruction)? ☐ Yes ☒ No  
☐ Not Applicable
- Does the Facility have storage space for Study-Related materials (e.g. Lab Kits, Patient Materials, etc.)? ☒ Yes ☐ No
- Does your Facility have the ability to collect and store PK/PD specimens? ☒ Yes ☐ No
- Does your Facility have the ability to collect PK/PD samples beyond normal business hours? ☒ Yes ☐ No
- Does your Facility typically allow the collection of Pharmacogenomic (PGX) samples for research purposes? ☒ Yes ☐ No

## EQUIPMENT

Identify the Diagnostic Equipment available at or near the Facility to support Research studies?  
(Check all that apply.)

- |                                     |         |   |
|-------------------------------------|---------|---|
| <input type="checkbox"/>            | NA      | Not Applicable  |
| <input checked="" type="checkbox"/> | CT Scan | Computerized Tomography Scan  |
| <input checked="" type="checkbox"/> | DXA     | Dual-Energy X-ray Absorptiometry or Bone Densitometry                         |
|                                     | ECG/EKG | Electrocardiogram   |
| <input checked="" type="checkbox"/> | FLRO    | Fluoroscopy   |
| <input checked="" type="checkbox"/> | MRI     | Magnetic Resonance Imaging  |
| <input checked="" type="checkbox"/> | MRA     | Magnetic Resonance Angiography (MRA)  |
| <input checked="" type="checkbox"/> | MRS     | Magnetic Resonance Spectroscopy (MRS)   |
| <input type="checkbox"/>            | MAMMO   | Mammography   |
| <input checked="" type="checkbox"/> | NMED    | Nuclear medicine (e.g. Bone scan, thyroid scan, thallium cardiac stress test) |
| <input type="checkbox"/>            | PET     | Positron Emission Tomography Scan   |
| <input checked="" type="checkbox"/> | X-ray   | X-Radiation   |
| <input type="checkbox"/>            | Other   | Other   |

Describe any additional equipment relevant to Clinical Trials:

## GENERAL EQUIPMENT

Does your Facility have an SOP or process that ensures routine calibration and maintenance of general equipment? Examples of general equipment include: scale, pulse oximeter, stadiometer, sphygmomanometer, etc.?

☐ Yes ☒ No

Does your Facility have the necessary equipment to treat medical emergencies (ie. code cart)?

☒ Yes ☐ No



## Identify the equipment available at the Facility to support Research studies?

### Centrifuge

#### Refrigerated Centrifuge

#### ☒ Refrigerator (2 to 8 Degrees C)

##### Equipment Capabilities: Refrigerator (2 to 8 Degrees C)

Do you have the ability to generate a temperature monitoring log for this equipment?

☒ Yes ☐ No

Does this equipment provide Min/Max Temperature Monitoring?

☒ Yes ☐ No

How frequently can temperature measurement occur? Check the most frequent measurement your equipment can support.

Daily

Does this equipment have back-up power?

☒ Yes ☐ No

Does this equipment have a temperature alarm?

☒ Yes ☐ No

Do you have an SOP which supports calibration of this equipment?

Yes No

#### ☒ Freezer (-20 to -30 Degrees C)

##### Equipment Capabilities: Freezer (-20 to -30 Degrees C)

Do you have the ability to generate a temperature monitoring log for this equipment?

☒ Yes ☐ No

Does this equipment provide Min/Max Temperature Monitoring?

☒ Yes ☐ No

How frequently can temperature measurement occur? Check the most frequent measurement your equipment can support.

Daily

Does this equipment have back-up power?

☒ Yes ☐ No

Does this equipment have a temperature alarm?

☒ Yes ☐ No

Do you have an SOP which supports calibration of this equipment?

☐ Yes ☒ No

#### ☒ Freezer (-70 to -80 Degrees C)

##### Equipment Capabilities: Freezer (-70 to -80 Degrees C)

Do you have the ability to generate a temperature monitoring log for this equipment?

☒ Yes ☐ No

Does this equipment provide Min/Max Temperature Monitoring?

☒ Yes ☐ No

How frequently can temperature measurement occur? Check the most frequent measurement your equipment can support.

Daily

Does this equipment have back-up power?

☒ Yes ☐ No

Does this equipment have a temperature alarm?

☒ Yes ☐ No

Do you have an SOP which supports calibration of this equipment?

☐ Yes ☒ No

#### ☐ Freezer (Liquid Nitrogen -135 Degrees C)

##### Equipment Capabilities: Freezer (Liquid Nitrogen -135 Degrees C)

Do you have the ability to generate a temperature monitoring log for this equipment?

☐ Yes ☐ No

Does this equipment provide Min/Max Temperature Monitoring?

☐ Yes ☐ No

How frequently can temperature measurement occur? Check the most frequent measurement your equipment can support.

- Select -

Does this equipment have back-up power?

☐ Yes ☐ No

Does this equipment have a temperature alarm?

☐ Yes ☐ No

Do you have an SOP which supports calibration of this equipment?

☐ Yes ☐ No

# SIP Facility Profile Form

## COMPUTER CAPABILITIES

Does your Facility have computers which are dedicated to research studies?

☒ Yes ☐ No

What type of computer operating system(s) does your institution use to support studies?

- ☒ Windows (Windows XP, Windows 7, Windows 8, etc)
- ☐ Apple/Mac (OS X Snow Leopard, Mountain Lion, El Captain, etc)
- ☐ Unix/Linux (Solaris, Ubuntu, Redhat, etc)
- ☐ I don't know
- ☐ Other

What type of internet access does your Facility have?

Does your Facility limit or prohibit access and use of external web-based tools or sites for clinical research (E.g. web portals to submit documents to sponsors or CROs)?

Does the Facility have access to local IT support?

## **INVESTIGATIONAL PRODUCT & CONTROLLED SUBSTANCES**

### **INVESTIGATIONAL PRODUCT SHIPPING DETAILS**

IP Recipient Name	National Hospital Organization Kagoshima Medical Center Clinical trial management office
Street Name and Number	8-1
Building/Floor/Room/Suite	National Hospital Organization Kagoshima Medical Center
Additional Address Info	Shiroyama-cho
Country	Japan
State/Province/Region	Kagoshima
City	Kagoshima city
Zip/Postal Code	892-0853
Phone Number	+81-99-223-1151
Fax Number	+81-99-223-1440
Email Address	623-chikenkyouyuu@mail.hosp.go.jp

## INVESTIGATIONAL PRODUCT STORAGE LOCATION

IP Storage Location Name	<input type="text"/>
Street Name and Number	<input type="text"/>
Building/Floor/Room/Suite	<input type="text"/>
Additional Address Info	<input type="text"/>
Country	<input type="text" value="- Select Country -"/>
State/Province/Region	<input type="text" value="- Select State -"/>
City	<input type="text" value="Kagoshima city"/>
Zip/Postal Code	<input type="text"/>
Phone Number	<input type="text"/>
Fax Number	<input type="text"/>
Email Address	<input type="text"/>

**Note:** Additional Investigational Product Storage Locations can be added online from the Facility Profile in SIP .

# SIP Facility Profile Form

## INVESTIGATIONAL PRODUCT STORAGE EQUIPMENT

### Identify the Investigational Product Storage Equipment at your Facility

☒ **Refrigerator (2 to 8 Degrees C)**

**Equipment Capabilities: Refrigerator (2 to 8 Degrees C)**

Do you have the ability to generate a temperature monitoring log for this equipment?

☒ Yes ☐ No

Does this equipment provide Min/Max Temperature Monitoring?

☒ Yes ☐ No

How frequently can temperature measurement occur? Check the most frequent measurement your equipment can support.

Daily

Does this equipment have back-up power?

☒ Yes ☐ No

Does this equipment have a temperature alarm?

☒ Yes ☐ No

Do you have an SOP which supports calibration of this equipment?

☐ Yes ☒ No

☐ **Freezer (-20 to -30 Degrees C)**

**Equipment Capabilities: Freezer (-20 to -30 Degrees C)**

Do you have the ability to generate a temperature monitoring log for this equipment?

☐ Yes ☐ No

Does this equipment provide Min/Max Temperature Monitoring?

☐ Yes ☐ No

How frequently can temperature measurement occur? Check the most frequent measurement your equipment can support.

- Select -

Does this equipment have back-up power?

☐ Yes ☐ No

Does this equipment have a temperature alarm?

☐ Yes ☐ No

Do you have an SOP which supports calibration of this equipment?

☐ Yes ☐ No

☐ **Freezer (-70 to -80 Degrees C)**

**Equipment Capabilities: Freezer (-70 to -80 Degrees C)**

Do you have the ability to generate a temperature monitoring log for this equipment?

☐ Yes ☐ No

Does this equipment provide Min/Max Temperature Monitoring?

☐ Yes ☐ No

How frequently can temperature measurement occur? Check the most frequent measurement your equipment can support.

- Select -

Does this equipment have back-up power?

☐ Yes ☐ No

Does this equipment have a temperature alarm?

☐ Yes ☐ No

Do you have an SOP which supports calibration of this equipment?

☐ Yes ☐ No

☐ **Freezer (Liquid Nitrogen -135 Degrees C)**

**Equipment Capabilities: Freezer (Liquid Nitrogen -135 Degrees C)**

Do you have the ability to generate a temperature monitoring log for this equipment?

☐ Yes ☐ No

Does this equipment provide Min/Max Temperature Monitoring?

☐ Yes ☐ No

How frequently can temperature measurement occur? Check the most frequent measurement your equipment can support.

- Select -

Does this equipment have back-up power?

☐ Yes ☐ No

Does this equipment have a temperature alarm?

☐ Yes ☐ No

Do you have an SOP which supports calibration of this equipment?

☐ Yes ☐ No

# SIP Facility Profile Form

## INVESTIGATIONAL PRODUCT STORAGE & HANDLING

- Is the Investigational Product Storage Room secured with controlled access? ☒ Yes ☐ No
- Do you have the ability to generate a temperature monitoring log for this Investigational Product Storage Room? ☒ Yes ☐ No
- Does the Investigational Product Storage Room provide Min/Max temperature monitoring? ☒ Yes ☐ No
- Does the Investigational Product Storage Room have back-up power? ☒ Yes ☐ No
- Does the Investigational Product Storage Room have a temperature alarm? ☒ Yes ☐ No
- Do you have an SOP which supports calibration of the temperature monitoring equipment? ☐ Yes ☒ No
- Does your Facility have the ability to manage on-site or off-site destruction of Investigational Product? ☒ Yes ☐ No
- Does your Facility have a written SOP/Policy/Procedure for destruction of Investigational Product? ☒ Yes ☐ No  
☐ Not Applicable
- Do you provide your Satellite Site(s) with a dedicated inventory of Investigational Product? ☐ Yes ☐ No  
☒ Not Applicable
- Does your Facility have a written SOP/Policy/Procedure to ensure that Investigational Product is appropriately maintained during transportation to Satellite Site(s)? ☐ Yes ☐ No  
☒ Not Applicable

Describe additional Investigational Product Storage & Handling Capabilities:

# SIP Facility Profile Form

## PREPARATION AND ADMINISTRATION OF INVESTIGATIONAL PRODUCT

Identify the Investigational Product preparation capabilities at your Facility:

- ☒ Extemporaneous Preparation
- ☒ Vertical laminar flow hood (chemo/hazardous drugs)
- ☐ Glove box (non-vented)
- ☒ Horizontal laminar flow hood (non-hazardous drug preparation)
- ☐ Glove box (vented to outside)

### Preparation and Administration of Investigational Product

Is your Facility capable of administering infusions?

☒ Yes ☐ No

Is your Facility adequately staffed to support studies with both blinded and un-blinded Investigational Product?

☒ Yes ☐ No

## CONTROLLED SUBSTANCES

*Controlled Substances are defined as: A drug or chemical whose manufacture, possession, or use is regulated by a government, such as illicitly used drugs or prescription medications that are designated a Controlled Drug.*

Does the Facility have the required licenses or registrations to receive, store, dispense and return controlled substances as required by local law?

☒ Yes ☐ No  
☐ Not Applicable

Is the storage area for controlled substances securely constructed with restricted access in accordance with local law?

☒ Yes ☐ No  
☐ Not Applicable

Does the Facility have the ability to handle radio-labelled Investigational Product?

☐ Yes ☒ No

Does your Facility have the ability to manage on-site or off-site destruction of controlled substances when appropriate?

☒ Yes ☐ No  
☐ Not Applicable

## ATTACHMENTS

Upload relevant Investigational Product & Controlled Substances documentation including: relevant SOPs for managing or storing Investigational Product(s), IP storage equipment, or licenses/registrations to receive, store, dispense and return controlled substances.

**Note:** Attachments can be uploaded online from the Facility Profile in SIP.

# SIP Facility Profile Form

## SOURCE DOCUMENTATION

### SOURCE DOCUMENTS

What type of source documents will be used? (Select all that apply):

☒

Paper

☒

Electronic

Does your Facility have secure storage for patient records?

☒

Yes

☐

No

Does your Facility have patient record archiving on-site?

☒

Yes

☐

No

Provide Location name and address of any offsite archives.

### ELECTRONIC MEDICAL RECORDS (EMR) /ELECTRONIC HEALTH RECORDS (EHR)

Do you have Electronic Health Records (EHR)/ Electronic Medical Records (EMR)?

☒

Yes

☐

No

What EMR/EHR system do you use?

☒

In-house system

☐

Others

**Note:** Please select other options for EMR/ EHR used at your Facility online.

For Facilities with satellite sites, where is the monitor required to access source documents?

Select

Please list any access limitations/requirements for the Electronic Medical Records:

ID password



# SIP Facility Profile Form

## MONITORING

Check all equipment that will be available to Monitors:

☒ None ☐ Phone ☐ Fax ☐ Copy Machines ☐ Internet Access

What Electronic Data Capture (EDC) systems has your staff used for clinical trials?

☐ None ☒ Oracle Inform ☒ Medidata Rave ☒ Oracle Remote Data Capture (RDC) ☐ Others

Describe Other EDC Systems:

## ADDITIONAL INFORMATION AND ATTACHMENTS

### ADDITIONAL INFORMATION

Please provide additional information not captured in other sections of the Facility Profile that you feel is important for Sponsors to know about your Facility. Please reference the section name, if applicable.

### FACILITY ATTACHMENTS

Upload any non-study specific Facility documents that have not been included in other sections of the profile. Lab, IRB/ERB/Ethics Committee, Investigational Product and Controlled Substance documentation should be included in those sections. The document type drop-down list provides examples of the type of documentation to be included in this section.

**Note:** Attachments can be uploaded online from the Facility Profile in SIP.