

FACILITY NAME & ADDRESS

Facility Name	Facility Type	Facility Address
National Hospital Organization Takasaki General Medical Center	Hospital or Medical Center	36 Takamatsucho, Takasaki, Gunma, Japan, 370-0829

FACILITY CONTACTS

Primary FPM?	Name	Email Address	Roles
Yes	Masui, Kazumi	masui.kazumi.un@mail.hosp.go.jp	Facility Profile Manager, Budget/Financial Contact, Clinical Research Manager, Contingency Contact - Business, Contract Manager, Delegation Manager, Facility Clinical Trial Contact, Head of Facility, Regulatory Contact (Facility/Department)
No	Hagiwara, Ayumi	hagiwara-ayumi@iromgp.com	Facility Profile Manager
No	Hagiwara, Yui	hagiwara-yui@iromgp.com	Facility Profile Manager

THERAPEUTIC AREAS & PATIENT POPULATION

Therapeutic Area(s)	
Therapeutic Area	Sub Therapeutic Area
Cardiovascular Diseases	
Allergy	
Digestive System Diseases	
Endocrine System Diseases	
Female Urogenital Diseases and Pregnancy Complications	
Fertility	
Inflammation	
Male Urogenital Diseases	
Nervous System Diseases	
Nutritional and Metabolic Diseases	
Neoplasms	
Nephrology	
Oncology	
Pediatrics	
Respiratory Tract Diseases	
Skin and Connective Tissue Diseases	
Vaccines	

Therapeutic Area	Sub Therapeutic Area
Women's Health	
Other Areas of Expertise	
Study Phase Capabilities	
Phase II, Phase III, Phase IV	
Other Facility Details	
Do you have Affiliated Research Sites or Satellite Sites/Clinics? A Satellite Site is a secondary location where the investigator sees clinical trial subjects, usually this is the same investigator who sees subjects at the primary site location.	No
What study types does your Facility have experience with?	Industry, Investigator Initiated, Academic, Government
Is your Facility affiliated with a government agency or part of a government funded health service?	Yes

Patient Population	
Patient Population Demographics	Pediatrics - Less than or equal to 17, Adults - Ages 18-64, Geriatrics - Greater than or equal to 65
Patient Population Comments	

IRB/ERB/ETHICS COMMITTEE

General Questions	
What is the average time (in days) to start a study once you have received the regulatory package?	30-60
Does your Facility perform IRB/ERB/Ethics Committee submissions?	Yes
Does your Facility have a Facility or group to perform IRB/ERB/Ethics Committee submissions?	Yes
Department Contact Name	Clinical trial office
Department Contact Phone Number	+81273225901
Department Contact Email Address	masui.kazumi.un@mail.hosp.go.jp
Is your Facility able to initiate study activities prior to IRB/ERB/Ethics Committee protocol approval?	No
What types of IRB/ERB/Ethics Committee does your Facility use?	Central Acting as Local, Local
Does your institution and/or local regulation mandate the distribution of safety reports [e.g., Development SafetyUpdate Report (DSUR), suspected unexpected serious adverse reaction (SUSAR)] to a local Review only IRB/ERB/Ethics Committee?	Yes
Are there any other steps that the Sponsor should be aware of for your IRB/ERB/Ethics Committee review and submission?	No

LOCAL IRB/ERB/ETHICS COMMITTEE

Local IRB/ERB/Ethics Committee: National Hospital Organization Takasaki General Medical Center Institutional Review Board	
IRB/ERB/Ethics Committee Name	National Hospital Organization Takasaki General Medical Center Institutional Review Board
Address	36,Takamatsu-cho, Takasaki-shi, Gunma, Japan, 370-0829
Registration#	Registering Body
NA	
What is the meeting frequency of your Local IRB/ERB/Ethics Committee?	Monthly
How long before IRB/ERB/Ethics review is the Submission Packet required?	2 weeks
Does the IRB/ERB/Ethics Committee require payment prior to release of final approval documents?	No
Does the IRB/ERB/Ethics Committee require contract/budget approval prior to release of final approval documents?	Yes

LOCAL IRB/ERB/ETHICS COMMITTEE ATTACHMENTS		
Document Type	Document Name	Document Description
No Records		

OTHER REVIEW BOARDS

Does your Facility have Other Review Boards that need to approve the study prior to IRB/ ERB/Ethics Committee submission? For example, scientific, radiation safety committees, or others.	
--	--

Local Lab

Is your Facility using a Local Lab?	Yes
Local Lab: Laboratory of National Hospital Organization Takasaki General Medical Center	
Lab Name	Laboratory of National Hospital Organization Takasaki General Medical Center
Lab Contact First Name	Mai
Lab Contact Last Name	Okayama
Address	36,Takamatsu-cho, Takasaki-shi, Gunma, Japan, 370-0829
Phone Number	0273225901
Fax Number	
Email Address	
Local Lab Accreditation	Others
Other Local Lab Accreditation	Japanese Association of Medical Technologists, Japan Medical Association and Gunma Association of Medical Technologists.
Additional Questions	
Does your Facility have a SOP/written procedure for documenting bio-specimen (Sample) processing steps/chain of custody?	
What is the system or tool that the site currently has or utilizes to document Bio-specimen (Sample) Processing Steps/ Chain of Custody?	
Please indicate tissue collection and processing capabilities at your site?	
Does your Facility has established processes to oversee staff compliance with study-specific lab manual instructions for bio-specimen processing?	
What are your Facility’s capabilities for tissue collection and/or processing (embedding)?	
Are LOINC codes available for the Local Lab? (If Yes, you can upload the relevant LOINC list as an attachment in Lab Documentation)	
Attachments	
Document Type	Document NameDocument Description
No Records	

CONSENT & TRAINING

Consent	
Does your Facility have a written SOP/Policy/Procedure for: Informed Consent?	Yes
Does your Facility have a written SOP/Policy/Procedure for: Minor Assent for Pediatric Populations?	Yes
Does your Facility have a written SOP/Policy/Procedure for: Other Vulnerable Populations?	Yes
Will your Facility require language translations for consents?	Yes
Select the required languages	Japanese
If located in the US, has your Facility used or are you able to use the informed consent short form?	Not Applicable
What types of eConsent platforms does your Facility use? (Select all that apply)	
Training	
Does your Facility have a training program for the research staff?	Yes
Does the course content include GCP?	Yes
Does your Facility use an external program to conduct research training?	Yes
Please provide program course name.	APRIN
Do you have a process or program in place to retrain research staff when a protocol is amended?	Yes
Does the study staff that prepares or transports dangerous goods have training that meets the IATA International Air Transport Association (US) or other countries hazardous training requirements for shipping dangerous goods?	No

FACILITY & EQUIPMENT

Facility Capabilities	
Can your Facility support patient visits on weekends?	No
Can your Facility support in-patient admissions for research studies?	Yes
Does your study staff have sufficient English knowledge to understand communications in English?	Yes
Does your Facility have access to translators and translation support for study conduct (e.g. consent, study specific instruction)?	No
Does the Facility have storage space for Study-Related materials (e.g. Lab Kits, Patient Materials, etc.)?	Yes
Is the lab kit storage space able to support early phase studies which may require an increased number of kits?	Yes
Does your Facility have the ability to collect and store PK/PD specimens?	Yes
Does your Facility have the ability to collect PK/PD samples beyond normal business hours?	Yes
Does your Facility typically allow the collection of Pharmacogenomic (PGX) samples for research purposes?	Yes
Equipment	
Identify the Diagnostic Equipment available at or near the Facility to support Research studies?	Computerized Tomography Scan, Dual-Energy X-ray Absorptiometry or Bone Densitometry, Magnetic Resonance Imaging, Fluoroscopy, Positron Emission Tomography Scan, X-Radiation, Other, Magnetic Resonance Angiography, Magnetic Resonance Spectroscopy, Mammography, Nuclear Medicine (e.g.Bone scan,Thyroid scan,Thallium cardiac stress test), Electrocardiogram
Other	fibroscanMRI-PDFF
General Equipment	
Does your Facility have an SOP or process that ensures routine calibration and maintenance of general equipment? Examples of general equipment include: scale, pulse oximeter, stadiometer, sphymomanomer, etc.?	Yes
Does your Facility have the necessary equipment to treat medical emergencies (ie. code cart)?	Yes
Identify the equipment available at the Facility to support Research studies?	Refrigerated Centrifuge, Centrifuge, Refrigerator (2 to 8 Degrees C), Freezer (-20 to -30 Degrees C), Freezer (-70 to -80 Degrees C)

Equipment Capabilities: Refrigerator (2 to 8 Degrees C)	
Do you have the ability to generate a temperature monitoring log for this equipment?	Yes
Does this equipment provide Min/Max Temperature Monitoring?	Yes
How frequently can temperature measurement occur? Check the most frequent measurement your equipment can support.	Daily
Does this equipment have back-up power?	Yes
Does this equipment have a temperature alarm?	Yes
Do you have an SOP which supports calibration of this equipment?	No
Equipment Capabilities: Freezer (-20 to -30 Degrees C)	
Do you have the ability to generate a temperature monitoring log for this equipment?	Yes
Does this equipment provide Min/Max Temperature Monitoring?	Yes
How frequently can temperature measurement occur? Check the most frequent measurement your equipment can support.	Daily
Does this equipment have back-up power?	Yes
Does this equipment have a temperature alarm?	No
Do you have an SOP which supports calibration of this equipment?	Yes
Equipment Capabilities: Refrigerator (-70 to -80 Degrees C)	
Do you have the ability to generate a temperature monitoring log for this equipment?	Yes
Does this equipment provide Min/Max Temperature Monitoring?	Yes
How frequently can temperature measurement occur? Check the most frequent measurement your equipment can support.	Daily
Does this equipment have back-up power?	Yes
Does this equipment have a temperature alarm?	No
Do you have an SOP which supports calibration of this equipment?	Yes
Computer Capabilities	
Does your Facility have computers which are dedicated to research studies?	Yes
Does your Facility have antivirus software on all these electronic devices?	
Does your Facility have an SOP or process that documents both physical and firewall security measures that are used for electronic systems?	
Does your Facility perform periodic system reviews to ensure they remain in a validated state?	
Does your Facility have an SOP or process that documents user management processes that are used for electronic systems?	
What type of computer operating system(s) does your institution use to support studies?	Windows (Windows XP, Windows 7, Windows 8, etc.)
What type of internet access does your Facility have?	Cable or DSL, Wi-Fi
What type of internet browser(s) does your institution use to support studies? (Check all that apply)	
Is access to the internet secured against unauthorized use?	
Does your Facility limit or prohibit access and use of external web-based tools or sites for clinical research? (e.g. web portals to submit documents to sponsors or CROs)	No
Does your institution allow the download of information from an external portal ?(e.g. eDC system)	
Does the Facility have access to local IT support?	Yes

Does your Facility prohibit the use of an external USB device (e.g. to download and send data from a temperature monitoring device)?		Yes
Business Continuity Plan		
Does your Facility have Business Continuity Plan (BCP) to protect essential business operations which describes how those processes will be performed during a crisis at your Facility?		No
Attach Your BCP or SOP		
Document Type	Document Name	Document Description
No Records		

INVESTIGATIONAL PRODUCT & CONTROLLED SUBSTANCES

Investigational Product Shipping Details					
IP Recipient Name	Address	Phone Number	Fax Number	Email Address	Site Specific Requirements
kazumi masui	36,Takamatsu-cho, Clinical trial office, 1F, Takasaki-shi, Gunma, Japan, 370-0829	0273225901		kazumi.masui.un@mail.hosp.go.jp	

Investigational Product Storage Location				
IP Storage Location Name	Address	Phone Number	Fax Number	Email Address
National Hospital Organization Takasaki General Medical Center	36,Takamatsu-cho, Investigational product storage room, Takasaki-shi, Gunma, Japan, 370-0829	81273225901	81273220161	ishida.fumiya.gc@mail.hosp.go.jp

Investigational Product Storage Equipment	
Identify the Investigational Product Storage Equipment at your Facility	Refrigerator (2 to 8 Degrees C), Freezer (-20 to -30 Degrees C)
Equipment Capabilities: Refrigerator (2 to 8 Degrees C)	
Do you have the ability to generate a temperature monitoring log for this equipment?	Yes
Does this equipment provide Min/Max Temperature Monitoring?	Yes
How frequently can temperature measurement occur? Check the most frequent measurement your equipment can support.	Daily
Does this equipment have back-up power?	Yes
Does this equipment have a temperature alarm?	Yes
Do you have an SOP which supports calibration of this equipment?	Yes
Equipment Capabilities: Freezer (-20 to -30 Degrees C)	
Do you have the ability to generate a temperature monitoring log for this equipment?	Yes
Does this equipment provide Min/Max Temperature Monitoring?	Yes
How frequently can temperature measurement occur? Check the most frequent measurement your equipment can support.	Daily
Does this equipment have back-up power?	Yes
Does this equipment have a temperature alarm?	Yes
Do you have an SOP which supports calibration of this equipment?	Yes

Investigational Product Storage And Handling		
Is the Investigational Product Storage Room secured with controlled access?		Yes
Do you have the ability to generate a temperature monitoring log for this Investigational Product Storage Room?		Yes
Does the Investigational Product Storage Room provide Min/Max temperature monitoring?		Yes
Does the Investigational Product Storage Room have back-up power?		Yes
Does the Investigational Product Storage Room have a temperature alarm?		Yes
Do you have an SOP which supports calibration of the temperature monitoring equipment?		Yes
Does your Facility have the ability to manage on-site or off-site destruction of Investigational Product?		No
Does your Facility have a written SOP/Policy/Procedure for destruction of Investigational Product?		No
Do you provide your Satellite Site(s) with a dedicated inventory of Investigational Product?		Not Applicable
Does your Facility have a written SOP/Policy/Procedure to ensure that Investigational Product is appropriately maintained during transportation to Satellite Site(s)?		Not Applicable
Describe additional Investigational Product Storage And Handling Capabilities		The temperature alarm is not in the thermometer, but in the storage.
Preparation and Administration Of Investigational Product		
Identify the Investigational Product preparation capabilities at your Facility		Extemporaneous Preparation, Vertical laminar flow hood (chemo/hazardous drugs)
Is your Facility capable of administering infusions?		Yes
Is your Facility adequately staffed to support studies with both blinded and un-blinded Investigational Product?		Yes
Controlled Substances		
Does the Facility have the required licenses or registrations to receive, store, dispense and return controlled substances as required by local law?		Yes
Is the storage area for controlled substances securely constructed with restricted access in accordance with local law?		Yes
Does the Facility have the ability to handle radio-labelled Investigational Product?		No
Does your Facility have the ability to manage on-site or off-site destruction of controlled substances when appropriate?		No
Attachments		
Document Type	Document Name	Document Description
No Records		

SOURCE DOCUMENTATION & REMOTE MONITORING

Source Documents	
What type of source documents will be used?	Paper, Electronic
Do all of the Facility's systems/technology used to store and manage source data conform with international system standards (e.g. ICH/GCP/EU)?	
Does your Facility have secure storage for patient records?	Yes
Does your Facility have patient record archiving on-site?	Yes
Does your Facility have an SOP or process that documents how to limit access and prevent the premature destruction of the Facility's files?	
What type of investigator site file/regulatory binder used (select all that apply)	Paper

Please list any access limitations/ requirements for eISF/eReg	NA
Electronic Medical Records (EMR) / Electronic Health Records (EHR)	
Do you have Electronic Health Records (EHR)/ Electronic Medical Records (EMR)?	Yes
What EMR/EHR system do you use?	In-house system
For Facilities with satellite sites, where is the monitor required to access source documents?	
Please list any access limitations/requirements for the Electronic Medical Records.	
Do the EHR/EMR systems conform with international system standards (e.g. ICH/GCP/EU)?	
Do you work with a vendor that can electronically exchange data for clinical research from the EHR/EMR?	No
Do you have institutional approval to export data from the EHR/EMR for the clinical research?	Yes
Are monitors able to access EHR/EMR while off site?	No
Does your Facility require Sponsor representative to sign any local form (paper or electronic) for access, or any other purpose?	Yes
Provide details of information requested	A pledge concerning the use of the medical information system is required.
Does your Facility utilize any additional electronic systems to capture source data outside of the EMR/EHR?	
Does your Facility utilize any additional electronic systems or paper-based systems to access patient medical history?	
Do the systems used for clinical trial data entry and management have audit trail functionality?	

Bring Your Own Device		
Can your Facility support the use of bring your own device (BYOD) technologies to conduct Clinical Trials?		
Monitoring		
Check all equipment that will be available to Monitors:		None
What Electronic Data Capture (EDC) systems has your staff used for clinical trials?		Oracle Inform, Medidata Rave
Does your site/institution and/or local regulations allow remote source data verification of study participant data to support remote monitoring?		No
Attachments		
Document Type	Document Name	Document Description
No Records		

ADDITIONAL LOCATIONS

Additional Locations					
Add any addresses you wish to be available in the Study Site Profile. These addresses will be available for selection in the following sections of the Study Site Profile - Additional Study Locations - These addresses can be added to your FDA Form 1572, if applicable.					
SIP Registered Locations					
Location Name			Address		
No Records					
SIP Non-Registered Locations					
Location Name	Contact Name	Address	Phone Number	Fax Number	E-mail Address
No Records					

ADDITIONAL INFORMATION & ATTACHMENTS

Additional Information		
Please provide additional information not captured in other sections of the Facility Profile that you feel is important for Sponsors to know about your site. Please reference the section name if applicable.		
Facility Attachments		
Document Type	Document Name	Document Description
No Records		

ORGANIZATION AFFILIATIONS

Organization Affiliations			
The Organization (s) that requested Affiliation with your Facility are listed below with Affiliation Status			
Organization Name and Address	Organization Affiliation Type	Organization Affiliation Status	Status Date
No Records			

ASSOCIATED SITE USERS

Associated Site Users

☐

Once checked, this checkbox will enable the Approval/Rejection workflow for this Facility. Any site user requesting to associate with this Facility would require to send the affiliation requests and only once Approved, this Facility will be shown on User's Profile.

Site User Association Requests				
Name	E-mail Address	Request Affiliation Date	Affiliation Status change Date	Affiliation Status
Tokuda,Shoko	chiken.tokuda@gmail.com	12-Dec-2022		Pending
Koibuchi,Yukio	chiken.koibuti@gmail.com	12-Dec-2022		Pending
Narusawa,Eriko	chiken.enarusawa@gmail.com	11-Jan-2023		Pending

Name	E-mail Address	Request Affiliation Date	Affiliation Status change Date	Affiliation Status
Takasaki,Investigational Product Administrator	chiken.yakuzaibutyo@gmail.com	14-Dec-2022		Pending

Associated/Confirmed Site Users				
Name	User Role	Request Affiliation Date	Affiliation Status change Date	Affiliation Status
Fujii,Kaori	Clinical Research User	11-Nov-2025	11-Nov-2025	Confirmed
Takasaki,Investigational Product Administrator	Clinical Research User	14-Dec-2022	14-Dec-2022	Confirmed
Tokuda,Shoko	Investigator	12-Dec-2022	12-Dec-2022	Confirmed
Koibuchi,Yukio	Investigator	12-Dec-2022	12-Dec-2022	Confirmed
Uchiumi,Noriko	Clinical Research User	01-Dec-2022	01-Dec-2022	Confirmed
Narusawa,Eriko	Investigator	11-Jan-2023	11-Jan-2023	Confirmed
Tomizawa,Nao	Clinical Research User	01-Dec-2022	01-Dec-2022	Confirmed
Sano,Nozomi	Investigator	28-Jun-2022	28-Jun-2022	Confirmed
Hagiwara,Ayumi	Clinical Research User	01-Aug-2022	01-Aug-2022	Confirmed
Uehara,Sanae	Investigator	26-Jul-2022	26-Jul-2022	Confirmed
Tomaru,Shota	Investigator	28-Jun-2022	28-Jun-2022	Confirmed
Ishibashi,Yohei	Investigator	22-Jun-2023	22-Jun-2023	Confirmed
Seta,Hiroki	Investigator	22-Jun-2023	22-Jun-2023	Confirmed
Naganuma,Atsushi	Investigator	08-Aug-2025	08-Aug-2025	Confirmed
Aoyama,Chinatsu	Clinical Research User	30-Jun-2025	30-Jun-2025	Confirmed
Mogi,Ayaka	Clinical Research User	15-Feb-2023	15-Feb-2023	Confirmed
Negishi,Rika	Clinical Research User	16-Feb-2023	16-Feb-2023	Confirmed
Hatori,Naoki	Investigator	15-Feb-2023	15-Feb-2023	Confirmed
Imai,Nana	Clinical Research User	21-Feb-2023	21-Feb-2023	Confirmed
Ota,Masaki	Investigator	15-Feb-2023	15-Feb-2023	Confirmed
Murata,Tomoyuki	Investigator	27-Jan-2023	27-Jan-2023	Confirmed
Kobayashi,Hiroo	Investigator	01-Feb-2023	01-Feb-2023	Confirmed
Takahashi,Yosuke	Investigator	15-Feb-2023	15-Feb-2023	Confirmed
Okoma,Naoya	Investigator	02-Feb-2023	02-Feb-2023	Confirmed
Higuchi,Takaho	Clinical Research User	28-Feb-2023	28-Feb-2023	Confirmed

Name	User Role	Request Affiliation Date	Affiliation Status change Date	Affiliation Status
Takahashi,Shinya	Clinical Research User	15-Feb-2023	15-Feb-2023	Confirmed
Chigira,Ayaka	Investigator	15-Feb-2023	15-Feb-2023	Confirmed
Hiroi,Shitoshi	Clinical Research User	09-Mar-2023	09-Mar-2023	Confirmed
Takase,Ayaka	Clinical Research User	24-Apr-2023	24-Apr-2023	Confirmed
Hagiwara,Yui	Clinical Research User	26-Apr-2021	26-Apr-2021	Confirmed
Masuda,Tomoyuki	Investigator	02-Dec-2021	02-Dec-2021	Confirmed
Ishida,Fumiya	Clinical Research User	30-Nov-2022	30-Nov-2022	Confirmed
Takata,Daisuke	Investigator	17-Nov-2022	17-Nov-2022	Confirmed
Fukuda,Nobuaki	Investigator	22-Aug-2022	22-Aug-2022	Confirmed
Kudo,Tomohiro	Investigator	04-Aug-2022	04-Aug-2022	Confirmed
Funada,Yukari	Clinical Research User	10-Jan-2024	10-Jan-2024	Confirmed
Seki,Risa	Clinical Research User	09-Jan-2024	09-Jan-2024	Confirmed
Harasawa,Masami	Clinical Research User	05-Aug-2024	05-Aug-2024	Confirmed
Nakagawa,Junichi	Investigator	14-Jun-2024	14-Jun-2024	Confirmed
Honda,Chikako	Investigator	07-Jun-2024	07-Jun-2024	Confirmed
Masui,Kazumi	Clinical Research User	29-May-2024	29-May-2024	Confirmed
Kakizaki,Satoru	Investigator	08-Dec-2025	08-Dec-2025	Confirmed
Suzuki,Yuhei	Clinical Research User	08-Dec-2025	08-Dec-2025	Confirmed
Hoshino,Takashi	Investigator	10-Dec-2025	10-Dec-2025	Confirmed
Obayashi,Sayaka	Investigator	08-Apr-2026	08-Apr-2026	Confirmed